

References

1. Fox EL, Davis C, Downs SM, Schultink W, Fanzo J. Who is the woman in women's nutrition? A narrative review of evidence and actions to support women's nutrition throughout life. *Curr Dev Nutr* [Internet]. 2019 [cited 2023 Jul 6];3(1):nzy076. Available from: <http://dx.doi.org/10.1093/cdn/nzy076>
2. Venkatesh U, Sharma A, Ananthan VA, Subbiah P, Durga R, CSIR Summer Research training team. Micronutrient's deficiency in India: a systematic review and meta-analysis. *J Nutr Sci* [Internet]. 2021 [cited 2023 Jul 6];10(e110):e110. Available from: <http://dx.doi.org/10.1017/jns.2021.102>
3. Ruxton CHS, Derbyshire E. Women's diet quality in the UK: Women's diet quality in the UK. *Nutr Bull* [Internet]. 2010;35(2):126-37. Available from: <http://dx.doi.org/10.1111/j.1467-3010.2010.01828.x>
4. Schagen SK, Zampeli VA, Makrantonaki E, Zouboulis CC. Discovering the link between nutrition and skin aging. *Dermatoendocrinol* [Internet]. 2012 [cited 2023 Jul 6];4(3):298-307. Available from: <http://dx.doi.org/10.4161/derm.22876>
5. Brossaud J, Pallet V, Corcuff J-B. Vitamin A, endocrine tissues and hormones: interplay and interactions. *Endocr Connect* [Internet]. 2017 [cited 2023 Jul 6];6(7):R121-30. Available from: <http://dx.doi.org/10.1530/EC-17-0101>
6. Han X, Zhao R, Wang Y, Ma H, Yu M, Chen X, et al. Dietary vitamin A intake and circulating vitamin A concentrations and the risk of three common cancers in women: A meta-analysis. *Oxid Med Cell Longev* [Internet]. 2022 [cited 2023 Jul 6];2022:7686405. Available from: <https://www.hindawi.com/journals/omcl/2022/7686405/>
7. Bastos Maia S, Rolland Souza AS, Costa Caminha M de F, Lins da Silva S, Callou Cruz R de SBL, Carvalho Dos Santos C, et al. Vitamin A and pregnancy: A narrative review. *Nutrients* [Internet]. 2019 [cited 2023 Jul 6];11(3):681. Available from: <http://dx.doi.org/10.3390/nu11030681>
8. Cabezuelo MT, Zaragoza R, Barber T, Viña JR. Role of vitamin A in mammary gland development and lactation. *Nutrients* [Internet]. 2019 [cited 2023 Jul 6];12(1):80. Available from: <http://dx.doi.org/10.3390/nu12010080>
9. Gilbert C. What is vitamin A and why do we need it? *Community Eye Health*. 2013;26(84):65. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3936685>
10. Wyatt KM, Dimmock PW, Jones PW, Shaughn O'Brien PM. Efficacy of vitamin B-6 in the treatment of premenstrual syndrome: systematic review. *BMJ* [Internet]. 1999 [cited 2023 Jul 6];318(7195):1375-81. Available from: <https://pubmed.ncbi.nlm.nih.gov/10334745/>
11. Vitamin B6 [Internet]. Nih.gov. [cited 2023 Jul 6]. Available from: <https://ods.od.nih.gov/factsheets/VitaminB6-HealthProfessional/>
12. Khoshfetrat MR, Mohammadi F, Mortazavi S, Rashidi A, Neyestani T, Kalantari N, et al. The effect of iron-vitamin C co-supplementation on biomarkers of oxidative stress in iron-deficient female youth. *Biol Trace Elem Res* [Internet]. 2013;153(1-3):171-7. Available from: <http://dx.doi.org/10.1007/s12011-013-9695-7>
13. Krisnanda R. Vitamin C helps in the absorption of iron in iron deficiency anemia. *jppp* [Internet]. 2019 [cited 2023 Jul 6];2(3):279-86. Available from: <https://jurnal.globalhealthsciencegroup.com/index.php/JPPP/article/view/137>
14. Welch AA, Jennings A, Kelaiditi E, Skinner J, Steves CJ. Cross-sectional associations between dietary antioxidant vitamins C, E and carotenoid intakes and sarcopenic indices in women aged 18-79 years. *Calcif Tissue Int* [Internet]. 2020;106(4):331-42. Available from: <http://dx.doi.org/10.1007/s00223-019-00641-x>
15. Morton DJ, Barrett-Connor EL, Schneider DL. Vitamin C supplement use and bone mineral density in postmenopausal women. *J Bone Miner Res* [Internet]. 2001 [cited 2023 Jul 6];16(1):135-40. Available from: <https://pubmed.ncbi.nlm.nih.gov/11149477/>
16. Grant WB, Holick MF. Benefits and requirements of vitamin D for optimal health: a review. *Altern Med Rev* [Internet]. 2005 [cited 2023 Jul 6];10(2):94-111. Available from: <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=b42221fa2975f9092637fc9b3f518e822607b6f9>
17. Lamberg-Allardt C. Vitamin D in foods and as supplements. *Prog Biophys Mol Biol* [Internet]. 2006;92(1):33-8. Available from: <https://www.sciencedirect.com/science/article/pii/S0079610706000071>
18. Alikamali M, Mohammad-Alizadeh-Charandabi S, Maghalian M, Mirghafourvand M. The effects of vitamin E on the intensity of primary dysmenorrhea: A systematic review and meta-analysis. *Clin Nutr ESPEN* [Internet]. 2022;52:50-9. Available from: <https://www.sciencedirect.com/science/article/pii/S2405457722005009>
19. Thiele JJ, Hsieh SN, Ekanayake-Mudiyanselage S. Vitamin E: critical review of its current use in cosmetic and clinical dermatology. *Dermatol Surg* [Internet]. 2005 [cited 2023 Jul 6];31(7 Pt 2):805-13; discussion 813. Available from: <https://pubmed.ncbi.nlm.nih.gov/16029671/>
20. Fletcher RH, Fairfield KM. Vitamins for chronic disease prevention in adults: Clinical applications. *JAMA* [Internet]. 2002 [cited 2023 Jul 6];287(23):3127. Available from: <https://jamanetwork.com/journals/jama/article-abstract/195039>

Disclaimer

BECOSULES® WOMEN SUMMARY OF PRODUCT INFORMATION:

Before recommending, please refer to the full product information of BECOSULES WOMEN. Becosules Women is a nutraceutical. Brand Name: Becosules® Women. ®Trademark Proprietor: Pfizer Products Inc., USA, Licensed User: Pfizer Limited, India Generic Name: Micronutrients, Natural Extracts, Amino Acids, Evening Primrose Oil & Biotin Capsules. ®Trademark Proprietor: Pfizer Products Inc., USA, Licensed User: Pfizer Limited, India Health Recommendations: During certain physiological and pathological conditions, the body's need for micro and macronutrients may not be met by diet alone. Becosules women help to bridge the gap between the body's requirement and the dietary intake. The ingredients of Becosule women may have a role in reproductive health, menstrual health, bone health, skin health, hair health, thyroid health, immunity and energy production. Pharmaceutical Form: Soft gelatin capsules. Each serving/1.15 g (per soft gelatin capsule) contains approximately: Energy 5.39 Kcal, Carbohydrate 0.17 g, Protein 0.24 g, Fat 0.42 g, Sugars 0.00 g, Saturated Fatty acids maximum 0.13 g, Trans Fatty acids 0.00 g, Methionine 22 mg, Glutamic acid 20 mg, Lysine 10 mg, Inositol 10 mg, Cysteine 2.5 mg, Choline Bitartrate 10 mg, Evening Primrose Oil 120 mg, Gingko biloba Extract 20 mg, Citrus bioflavonoids 12.5 mg, Green tea extract 10 mg, Mixed Carotenoids 10% dispersion 5 mg, Lycopene 10% dispersion 2 mg, Vitamin C 40 mg, Niacinamide 12 mg, Vitamin E 9.09mg, Pantothenic Acid 5 mg, Vitamin B6 2 mg, Vitamin B1 1 mg, Vitamin B2 1 mg, Vitamin A 480.48mcg, Biotin 30 mcg, Folic acid 100 mcg, Vitamin K 55 mcg, Vitamin B12 1 mcg, Vitamin D3 400 IU, Iron 21mg, Zinc 10 mg, Potassium 10 mg, Chloride 9.07 mg, Manganese 4 mg, Calcium 5 mg, Phosphorous 3.86 mg, Copper 1.35 mg, Molybdenum 45 mcg, Iodine 50 mcg, Selenium 26 mcg. Dosage: One soft gelatin capsule daily for adults. This product is not intended to diagnose, treat, cure or prevent any disease. Use in Children: Becosules women is recommended for adults only. Method of administration: Oral. Contraindications: Not recommended if Allergy (hypersensitivity) to any ingredient of Becosules women Warnings & Precautions: Excessive intake of vitamins A and D can lead to hypervitaminosis A and D respectively. Caution should be exercised when supplements containing vitamin K are administered in individuals on anti-coagulant therapy like warfarin and other coumarin derivatives, as vitamin K could make warfarin less effective. In such situations, the consumer should take the guidance of their treating physician. Riboflavin in Becosules women may color the urine yellow. Iron in Becosules women may give black coloration to faeces. Use in special population: Consult your doctor incase you are pregnant , lactating or taking any other medicine, Food supplements are not known to impair the ability to drive or use machinery. Adverse reactions: The active ingredients in Becosules women are all nutrients normally available in the diet. There is very little observed and documented evidence of undesirable effects with these ingredients in the quantity recommended for the product. However, the chance of an allergic (hypersensitivity) reaction to any of the ingredients, though remote, cannot be completely ruled out. Drug interactions: Per recommended usage/intake, interactions are unlikely and have not been reported. Storage condition: Store in a cool, dry place below 25°C, and protect from direct sunlight. Keep out of reach of children. SPI of LPDBW062023

Becosules® women Trademark Proprietor: Pfizer Products Inc. USA. Licensed User: Pfizer Limited, India.

Full product information available on request. Kindly consult your physician for more details.



Pfizer Limited,

The Capital -A wing 1802, 18th floor, Plot No. C-70, G Block, Bandra Kurla Complex, Bandra (East), Mumbai 400 051, India